

TRACKED CARRIERS

TECHNICAL DATA	PT175 - Tier 4F / Stage V	PT300 - Tier 4F / Stage V	PT300 CUMMINS Tier 4 Final / Stage V	PT550 - Tier 4F / Stage V
Engine Gross Power (hp)	173	302	325	536
Engine Emissions	U.S. EPA Tier 4 Final / EU Stage V	U.S. EPA Tier 4 Final / EU Stage V	U.S. EPA Tier 4 Final / EU Stage V	U.S. EPA Tier 4 Final / EU Stage V
Travel Pumps EP control - (cc)	2 - 60 (Danfoss)	2 - 78 (Danfoss)	2 - 78 (Danfoss)	2 - 100 (Danfoss)
Travel Motors HY control - (cc)	2 - 60 (Rexroth)	2 - 80 (Danfoss)	2 - 80 (Danfoss)	2 - 160 (Danfoss)
Max Travel Pressure (psi)	6000	6000	6000	6000
Attachment Pump EP control - (cc) Danfoss	1 - 100	1 - 147	1 - 147	2 - 147
Max Mulcher Pressure (psi)	5080	5080	5080	5080
Hydraulic Oil Tank Capacity (gal)	61	84	84	127
Fuel Tank Capacity (gal)	66	90	90	190
DEF AdBlue® Tank (gal)	5	4.2	15	18
Track Chain Pitch (mm) - lubricated - Berco	155 (std eqpt. with 20 in pads)	171 (std eqpt. with 26 in pads)	171 (std eqpt. with 26 in pads)	190 (std eqpt. with 24 in pads)
Lower Rollers Flange	7+7 sgl.	6+6 sgl. + 3+3 dbl.	6+6 sgl. + 3+3 dbl.	6+6 sgl. + 3+3 dbl.
Carrier Rollers	2+2	2+2	2+2	3+3
Voltage (V)	24	24	24	24
Max Forward Speed - Max Reverse Speed (mph)	4.5 - 4.5	4 - 4	4 - 4	3.7 - 3.7
Gradeability Vertical - Lateral (continuous)	45° - 32°	45° - 35°	45° - 35°	35° - (45° intermittent) - 32°
Operating Weight (lbs) (std. eqpt. with pads)	18960 (20 in) 19654 (28 in)	25045 (26 in) 26367 (32 in DG)	25772 (26 in) 27095 (32 in DG)	44533 (24 in) 45768 (32 in)
Ground Pressure (psi)	3.9 (std. eqpt. / 28 in pads / 140/U/SONIC/PT175-175)	4.1 (std. eqpt. / 32 in pads DG / 200/U/SONIC/PT300-225)	4.3 (std. eqpt. / 32 in pads DG / 200/U/SONIC/PT300-225)	5.8 (std. eqpt. / 32 in pads / 300/U/SONIC/PT550-250)

AVAILABLE ATTACHMENTS

PT175	Head type	Working width (in)	Total width (in)	Weight (lbs)	Max working depth (in)	Max shredding Ø (in)
140/U/SONIC/PT175-175	Forestry mulcher	72	85	3750	-	10
200/SC/PT175	Stump cutter	47	47	3870	20	20
PT300 & CUMMINS	Head type	Working width (in)	Total width (in)	Weight (lbs)	Max working depth (in)	Max shredding Ø (in)
200/U/SONIC/PT300-200	Forestry mulcher	81	97	5379	-	14
200/U/SONIC/PT300-210	Forestry mulcher	85	100	5534	-	14
200/U/SONIC/PT300-225	Forestry mulcher	91	106	5732	-	14
300/U/SONIC/PT300-200	Forestry mulcher	81	100	8333 (C) - 7716 (B)	-	16
200/S/PT300-200	Forestry tiller	82	93	6691	12	12
200/S/PT300-225	Forestry tiller	91	105	6971	12	12
300/SC/PT300-220	Stump cutter	57	41	4630	39	20
SFM/PT300-225	Multitask	91	103	9292	12	8 (Stones) - 14 (Trees) - 18 (Stumps)
PT550	Head type	Working width (in)	Total width (in)	Weight (lbs)	Max working depth (in)	Max shredding Ø (in)
300/U/SONIC/PT550-250	Forestry mulcher	100	119	9138 (C) - 9601 (B)	-	16
500/U/SONIC/PT550-225	Forestry mulcher	91	113	10384 (C) - 10417 (A)	-	20
500/U/SONIC/PT550-250	Forestry mulcher	101	122	11464 (A) - 10935 (C)	-	20
SFH/PT550-225	Multitask	91	107	12346	16	14 (Stones) - 18 (Trees) - 22 (Stumps)
SFH/PT550-250	Multitask	101	116	13007	16	14 (Stones) - 18 (Trees) - 22 (Stumps)

Dozer Blade PT

Available for PT175 and PT300

The data refers to the minimum and maximum values of the product ranges. Refer to the technical table of the specific model for more details.

DPO66007 USA - 07/2025 - by FAE Group S.p.A.



LAND CLEARING Tracked carriers



fae-group.com

USA

TRACKED CARRIERS

FAE's tracked carriers are designed for forestry and agricultural work. The available selection of interchangeable heads makes FAE carriers extraordinarily flexible. They are designed and built to work in extreme conditions, on soft ground and on steep slopes.



PT175



PT300



PT550

MODEL	100 hp	200 hp	300 hp	400 hp	500 hp	600 hp
PT175 Tier 4 Final / Stage V	173 hp					
PT300 Tier 4 Final / Stage V			302 hp			
PT300 CUMMINS Tier 4 Final / Stage V			325 hp			
PT550 Tier 4 Final / Stage V					536 hp	

PT175



173 hp

AVAILABLE ATTACHMENTS

- 140/U/PT - Forestry mulcher
- 200/SC/PT - Stump cutter
- Dozer Blade PT - Blade



PT300 & CUMMINS



302 hp
325 hp

AVAILABLE ATTACHMENTS

- 200/U/PT - Forestry mulcher
- 300/U/PT - Forestry mulcher
- 200/S/PT - Forestry tiller
- 300/SC/PT - Stump cutter
- SFM/PT - Multitask
- Dozer Blade PT - Blade



PT550



536 hp

AVAILABLE ATTACHMENTS

- 300/U/PT - Forestry mulcher
- 500/U/PT - Forestry mulcher
- SFH/PT - Multitask



LEARN MORE ABOUT
THE LAND CLEARING
PT RANGE

